

HOUSE OF INDUSTRIAL TOOLS

# SMITH

[www.smithtools.co.in](http://www.smithtools.co.in)

## *Turnmax Standard Price List* *(Exclusive of GST)*

W.E.F 01/11/2021



HOUSE OF INDUSTRIAL TOOLS

**SMITH ENGINEERING COMPANY**  
**SMITH INTERNATIONAL**

[www.smithtools.co.in](http://www.smithtools.co.in)

Regd. Office : (MUMBAI)

11, Narayan Dhuru Cross  
Lane, Daga Chambers  
Mumbai - 400 003

(022 ) 2342 9794,  
2345 0444

[smith@smithtools.in](mailto:smith@smithtools.in)

Branch Office : (PUNE)

PAP-J/137, Smith House,  
Near Quality Circle,  
Telco Road, Bhosari,  
Pune - 411 026

+91 9096410235  
+91 9096410236

[smith@smithtools.net](mailto:smith@smithtools.net)

Regd. Office : (AHMD)

C-48, Aust Vinayak  
Complex, Opp,  
Dariyapur Gate,  
Bardolpura  
Ahmedabad - 380 004

(079) 22111003/04/05/06

[smith@smithtools.org](mailto:smith@smithtools.org)

Branch Office : (CHAKAN)

Shop No.13, Navratna  
Complex, Pune- Nashik  
Highway, Nanekarwadi,  
Tal. Khed Dist,  
Pune - 410 501.


+91 9096410235  
+91 9096410236

[smith@smithtools.net](mailto:smith@smithtools.net)



MACHINE TOOL ACCESSORIES





## DEAD CENTER PLAIN MALE POINT

M.T. No.	PLAIN DEAD (FULL)	HALF DEAD	CNC DEAD CENTER (WITH DRAW OFF NUT)	
			EXTENDED	STUB
1	300	450	-	-
2	300	450	1150	925
3	300	450	1150	925
4	450	650	1250	1150
5	1175	1650	3150	2450
6	3400	4800	6500	6275
7	14250	-	-	-

# 75% Extra charges for female Dead Center. Female Dead Center available only in Plain (full) model. Female hole specifications as per our specifications only.

## DEAD CENTER CARBIDE TIPPED POINT

M.T. No.	TIP DIAMETER	CARBIDE TIPPED FULL	CARBIDE TIPPED HALF	CNC DEAD CENTER (WITH DRAW OFF NUT)	
				EXTENDED	STUB
1	5 mm	850	990	-	-
2	8 mm	865	990	2050 (8 mm)	2050
3	11 mm	1100	1485	2050 (11 mm)	2050
4	14 mm	1760	2200	2600 (11 mm)	2600
5	18 mm	3520	4235	4620 (14 mm)	4620
6	18 mm	6700	8400	9150 (18 mm)	9150

## DEAD CENTER CARBIDE TIPPED SPECIAL

M.T.	SIZE	PRICE	M.T.	SIZE	PRICE	M.T.	SIZE	PRICE
MT-2	TIP Ø 11	1815	MT-3	TIP Ø 25	7100	MT-4	TIP Ø 33	10950
MT-2	TIP Ø 14	2420	MT-3	TIP Ø 28	8750	MT-5	TIP Ø 22	7315
MT-2	TIP Ø 18	3250	MT-4	TIP Ø 18	3750	MT-5	TIP Ø 25	8635
MT-3	TIP Ø 14	2420	MT-4	TIP Ø 22	6270	MT-5	TIP Ø 28	10120
MT-3	TIP Ø 18	3250	MT-4	TIP Ø 25	7315	MT-5	TIP Ø 33	12815
MT-3	TIP Ø 22	5950	MT-4	TIP Ø 28	8750	MT-5	TIP Ø 40	17215

# Dead Centers with other Special Tip Diameter manufactured against order.

## DEAD CENTER WITH FULL 60° AS CARBIDE

M.T.	MT-2	MT-3	MT-4	MT-5
PRICE	8500	9800	13700	25200



## LATHE HEADSTOCK SLEEVE

MT 3-5	STANDARD : 4' LATHE (Specify outer dia. if not sure)	650
MT 4-6	FOR HEAVY DUTY LATHES	800

## TOOL POST GRINDER

### HORIZONTAL MODEL

SIZE	4"	6"	8"	10" LIGHT DUTY
COMPLETE : EXTERNAL GRINDER WITH INT. GRINDING ATTACHMENT	16000	20500	24500	30125
EXTERNAL GRINDER ONLY (MAX - WHEEL SIZE)	9900 (4"X1/2"X1/2")	11500 (6"X3/4"X5/8")	13500 (8"X3/4"X3/4")	18750 (10"X1"X1 1/4")
INTERNAL GRINDING ATTACHMENT (WITHOUT C. I. BODY)	6100	9000	11000	11375

All prices without Electric Motor.

### VERTICAL MODEL

SIZE	EXTERNAL GRINDER ONLY
6"	13500

# prices without Electric Motor.

## SPARES FOR TOOL POST GRINDER

SIZE	6"	8"
CAST IRON BODY (Machined and with motor plate. Without Guards)	4500	4980
INTERNAL SPINDLE ONLY (Without Motor Pulley & Belt)	9100	11115
EXTERNAL SPINDLE ONLY (Without Wheel, Body, Guards etc.)	8775	10100
ALUMINIUM MOTOR PULLEY (Flat Belt. For Internal Grinding Attachment)	1985	1820
INT-EXT SPINDLE / EXT MOTOR PULLEY (Each)	420	450
ENDLESS NYLON FLAT BELT (For Internal Grinding)	675	675



## EXTENSION SOCKET

M.T. No.	PRICE	M.T. No.	PRICE
1 - 1	950	4 - 5	3150
1 - 2	1100	5 - 1	2100
2 - 1	1260	5 - 2	2470
2 - 2	1260	5 - 3	2680
2 - 3	1420	5 - 4	2835
3 - 1	1260	5 - 5	3520
3 - 2	1450	5 - 6	10400
3 - 3	1530	6 - 2	5355
3 - 4	1850	6 - 3	6150
4 - 1	1630	6 - 4	6150
4 - 2	1680	6 - 5	6150
4 - 3	1680	6 - 6	16500
4 - 4	2310	6 - 7	19900

## SPLIT SLEEVE (FOR TAPS, DRILLS & CENTER DRILLS)

M.T. No.	SIZE	PRICE
1	TAP : M-4, M-5, M-5 Short hand tap M-6, M-8, M-10 3/16", 1/4", 5/16" BSW / UNC	475
1	DRILL SIZE : 4 mm to 8.5 mm, 3/16" to 21/64"	630
1	CENTER DRILL : BS-1, BS-2, BS-3	630
2	TAP : M-6, M-8, M-10, M-10 Short hand tap, M-12, M-14, M-16 1/4", 5/16", 3/8", 3/8" Short hand tap, 7/16", 1/2", 5/8" BSW / UNC	475
2	DRILL SIZE : 5 mm to 14 mm, 7/32" to 35/64"	630
2	CENTER DRILL : BS-2, BS-3, BS-4	630
3	TAP : M-12, M-14, M-16, M-18, M-20, M-22, M-24	685
3	CENTER DRILL : BS-4, BS-5, BS-6	895
4	TAP : M-12, M-16, M-18, M-20, M-24, M-27, M-30	1470
5	TAP : M-24, M-27, M-30, M-36, M-42	2200

# While ordering Split Sleeve for Taps specify Shank and Square size.

Ordering eg. Split Sleeve MT-2 : Shank Dia. 9.0 mm x Square Size 7.10 mm.

# Split Sleeve for Drills in MT-1 & MT-2 are Manufactured against order, Also only sizes for Drills Specified in the specification leaflet are made. There for always ascertain delivery period



REVOLVING CENTERS & CNC TOOL HOLDERS



# SLOW SPEED CENTERS

FOR CONVENTIONAL & SLOW SPEED LATHES.

## REVOLVING CENTER : PLAIN POINT

M.T. No.	STANDARD	EXTRA HEAVY DUTY FOUR BEARING	SUPER EXTRA HEAVY DUTY	JUMBO HEAVY DUTY	JUMBO COMPACT
1	2150	-	-	-	-
2	2200	-	-	-	-
3	1950	3750	-	-	-
4	2300	3950	7550	-	-
5	4250	7650	11900	-	26750
6	17500	19450	31550	47250	52300
7	-	-	55650	-	62000

# 90° point - 25% Extra. Female Point - 25% Extra

## REVOLVING CENTER : CARBIDE TIPPED POINT

MODEL	MT - 1	MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
STANDARD Carbide Tipped	3250	3250	2850	3950	6250	19500
EXTRA HEAVY DUTY (4 Bearing) Carbide Tipped	-	-	5500	6650	9350	24000

## SPARE POINT

MODEL	MT - 1	MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
STANDARD PLAIN 60°	425	425	350	450	575	1700
STANDARD Carbide Tipped	1400	1400	1350	1700	3200	6000

# HIGH SPEED CENTERS

FOR HIGH SPEED APPLICATIONS AS IN CNC TURNING LATHES

## MODEL : CNC HEAVY DUTY - R

MODEL	MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
PLAIN POINT	6950	6000	6250	9950	36750
CARBIDE TIPPED	8200	7800	7900	12200	42000

# Stub Point, Extended Point & Profiled Point Supplied at Same Price.

# Draw Off Nut provided @ 20% extra cost.

## MODEL : CNC HEAVY DUTY - R WITH INTERCHANGEABLE POINT

MODEL	MT - 3	MT - 4	MT - 5	MT - 6
PLAIN POINT	6950	6850	11550	46750
CARBIDE TIPPED (Stub & Extended only)	8775	8775	13900	51000

# Stub Point, Extended Point & Profiled Point Supplied at Same Price.



Stub Point

Extended Point

Special Point



### SPARE POINT FOR INTERCHANGEABLE MODEL

MODEL	MT - 3	MT - 4	MT - 5
PLAIN : STUB OR EXTENDED	525	600	880
PLAIN : PROFILED	650	725	1050
CARBIDE TIPPED : STUB OR EXTENDED	1485	1850	3500
PC Type : 25 - 45	-	1600	1800
PC Type : 45 - 65	-	1800	2000
PC Type : 65 - 85	-	2100	2400

### MODEL : CNC MEDIUM DUTY - WITH SMALL CASING DIA

MODEL	MT - 2	MT - 3	MT - 4	MT - 5
PLAIN : STUB POINT	6725	6650	6250	11550

# Stub Point, Extended Point & Profiled Point Supplied at Same Price.

### MODEL : CNC MEDIUM DUTY - SLIMLINE

MODEL	MT - 3	MT - 4	MT - 5	MT - 6
PLAIN : STUB POINT	6750	6900	18375	42000

# Stub Point, Extended Point & Profiled Point Supplied at Same Price.

### WEDGE

MODEL	MT - 3	MT - 4	MT - 5
Wedge to Remove Interchangeable Point from Female Sleeve	375	375	480
Wedge to Remove Revolving Center from Tail Stock	650	650	675

### CNC LATHE TURRET SLEEVE

SIZE	PRICE	SIZE	PRICE
Dia. 16 x ID : 8, 10	700	Dia. 32 x ID : 8, 10, 12, 14, 16, 18, 20, 25	700
Dia. 20 x ID : 8, 10, 12	700	Dia. 40 x ID : 8, 10, 12, 14, 16, 18, 20, 25, 32	750
Dia. 25 x ID : 8, 10, 12, 14, 16, 18, 20	700	Dia. 50 x ID : 10, 12, 16, 20, 25, 32, 40	1800

### TURRET SOCKET

OUT SIDE DIA.	IN SIDE MT	PRICE
Ø 25	MT - 1, 2	700
Ø 32	MT - 1, 2, 3	700
Ø 40	MT - 1, 2, 3, 4	750
Ø 50	MT - 1, 2, 3, 4	1800





<b>PIPE CENTER</b> (SLOW SPEED REVOLVING)						
CAPACITY		MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
BLUNT	POINTED					
25 - 50	0 - 2"	2600	2550	2900	3700	-
30 - 65	0 - 2 1/2"	2900	2850	3200	4100	-
40 - 75	0 - 3"	3200	3100	3600	4375	-
50 - 90	0 - 3 1/2"	3500	3500	3800	4850	-
65 - 100	0 - 4"	-	4000	4350	6050	10700
75 - 125	-	-	6800	7300	9300	12150
35 - 125	-	-	8100	8450	10700	14300
-	0-5"	-	9000	9300	11800	16850
75 - 150	-	-	-	9950	11500	16350
100 - 175	-	-	-	17300	18000	22250
100 - 200	-	-	-	22000	23275	28500
100 - 230	-	-	-	-	27600	31900
200 - 275	-	-	-	-	-	75000

<b>CNC PIPE CENTER (BLUNT)</b> (HIGH SPEED REVOLVING)				
CAPACITY	MT - 3	MT - 4	MT - 5	MT - 6
30 - 65	7500	7500	-	-
40 - 75	9000	9000	10300	-
50 - 100	11000	11000	12000	-
65 - 125	-	20000	22000	32000
75 - 150	-	23000	25000	34000
100 - 200	-	-	50000	55000

<b>ER COLLETS (DIN 6499)</b>					
TYPE	BORE SIZE / RANGE	PRICE	TYPE	BORE SIZE / RANGE	PRICE
ER-16	2 - 10 mm (1 mm Step)	450	ER-32	3 - 20 mm (1 mm Step)	500
ER-20	2 - 13 mm (1 mm Step)	460	ER-40	4 - 26 mm (1 mm Step)	625
ER-25	2 - 16 mm (1 mm Step)	475			

<b>PULL STUD</b>					
SHANK	SIZE	PRICE	SHANK	SIZE	PRICE
BT-30 (MAS 403)	45°, 60°, 90°	325	SK-40 (DIN69872)	Form A / B	325
BT-40 (MAS 403)	45°, 60°, 90°	325	SK-50 (DIN69872)	Form A / B	600
BT-50 (MAS 403)	45°, 60°, 90°	600			

# 10% Extra Charges for Through Coolant Hole

## COLLET CHUCK FOR ER COLLET (DIN 6499)

SIZE	(PRICE WITHOUT SPANNER)	PRICE	SIZE	(PRICE WITHOUT SPANNER)	PRICE
BT-30	ER-16 x 60 (Hex Type)	2100	BT-40	ER-40 x 160	3075
BT-30	ER-20 x 60 (Hex Type)	2100	BT-50	ER-25 x 90	5450
BT-30	ER-25 x 60	2100	BT-50	ER-25 x 125	6050
BT-30	ER-32 x 60	2100	BT-50	ER-25 x 160	7700
BT-40	ER-16 x 70 (Hex Type)	2250	BT-50	ER-32 x 90	5450
BT-40	ER-16 x 100 (Hex Type)	2500	BT-50	ER-32 x 125	6050
BT-40	ER-16 x 150 (Hex Type)	2925	BT-50	ER-32 x 160	7700
BT-40	ER-20 x 70 (Hex Type)	2250	BT-50	ER-40 x 90	5860
BT-40	ER-20 x 120 (Hex Type)	2500	BT-50	ER-40 x 125	6325
BT-40	ER-20 x 160 (Hex Type)	2925	BT-50	ER-40 x 160	7700
BT-40	ER-25 x 70	2250	MT-2 (Tang Type)	ER-16	1500
BT-40	ER-25 x 120	2500	MT-2/3 (Drawbolt Type)	ER-25/32	2500
BT-40	ER-25 x 160	2925	MT-4 (Drawbolt Type)	ER-32/40	2600
BT-40	ER-32 x 70	2250	MT - 5 (Drawbolt Type)	ER-32/40	4500
BT-40	ER-32 x 100	2650	R8 M12x1.5 or 7/16" UNF	ER-32/40	2200
BT-40	ER-32 x 120	2750	ISO-30	ER-32/40	2600
BT-40	ER-32 x 160	2975	ISO-40	ER-32/40	2600
BT-40	ER-40 x 80	2250	ISO-50	ER-32/40	5450
BT-40	ER-40 x 120	2850			

## STUB MILLING ARBOUR

SHANK	SIZE	PRICE	SHANK	SIZE	PRICE
BT-30	16 x 45	2100	BT-40	22 x 160, 27 x 160	4350
BT-30	22 x 45	2100		32 x 160	
BT-30	27 x 45	2100	BT-40	22 x 175, 22 x 200	6750
BT-40	16 x 50, 22 x 50	2250	BT-50	16 x 60, 22 x 60	5030
BT-40	27 x 60	2250		27 x 60, 32 x 75	
				40 x 75	
BT-40	32 x 70	2750	BT-50	16 x 105, 22 x 105	6600
BT-40	40 x 70	2750		27 x 105, 32 x 105	
BT-40	16 x 90, 22 x 90	2500	BT-50	40 x 105	7700
BT-40	27 x 90	2500	BT-50	16 x 160, 22 x 160	7700
BT-40	32 x 100	3300		27 x 160, 32 x 160	
BT-40	40 x 100	3300		40 x 160	

# Flange Type Stub Milling Arbours of Size 40 mm & 60 mm for Cutter Diameter Greater than 160 mm also available.





## CYLINDRICAL SHANK COLLET CHUCK

SIZE (Price Without Spanner)	PRICE	SIZE (Price Without Spanner)	PRICE
Ø 16 x ER - 11M x 60L	1750	Ø 25 x ER - 20M x 150L	2250
Ø 16 x ER - 11M x 100L	1975	Ø 25 x ER - 20HEX x 100L	2225
Ø 16 x ER - 11M x 150L	2250	Ø 25 x ER - 25ROUND x 60L	2500
Ø 16 x ER - 11HEX x 60L	1750	Ø 32 x ER - 25M x 60L	2225
Ø 16 x ER - 16HEX x 60L	1750	Ø 32 x ER - 25M x 100L	2525
Ø 16 x ER - 16HEX x 100L	1975	Ø 32 x ER - 25M x 150L	2975
Ø 16 x ER - 16HEX x 150L	2250	Ø 32 x ER - 16HEX x 65L	2500
Ø 20 x ER - 16M x 60L	1650	Ø 32 x ER - 20HEX x 65L	2500
Ø 20 x ER - 16M x 100L	1675	Ø 32 x ER - 25ROUND x 65L	2500
Ø 20 x ER - 16M x 150L	1850	Ø 32 x ER - 32ROUND x 65L	2500
Ø 20 x ER - 20HEX x 60L	1650	Ø 40 x ER - 20HEX x 85L	2500
Ø 20 x ER - 20HEX x 100L	1675	Ø 40 x ER - 25ROUND x 85L	2500
Ø 20 x ER - 20HEX x 150L	1850	Ø 40 x ER - 32ROUND x 85L	2500
Ø 25 x ER - 20M x 60L	1900	Ø 40 x ER - 40ROUND x 85L	2500
Ø 25 x ER - 20M x 100L	2225		

## SIDE LOCK HOLDERS

SIZE	PRICE	SIZE	PRICE
BT-30 10, 12, 16, 20	2100	BT-40 40 mm (Slimline)	2450
BT-40 10, 12, 16 mm	2250	BT-50 12 mm	5225
BT-40 20 mm	2300	BT-50 16, 20, 25, 32 mm	4760
BT-40 25 mm (Slimline)	2300	BT-50 40 mm	6050
BT-40 32 mm (Slimline)	2450	BT-50 50 mm	7150

## MILLING REDUCTION SOCKET

SHANK	MT-1	MT-2	MT-3	MT-4	MT-5
BT - 30 STANDARD	2100	2100	2100	-	-
BT - 40 STANDARD	2250	2250	2250	2450	-
BT - 40 EXTENDED	3000	3000	3500	3950	-
BT - 50 STANDARD	5100	5100	5100	5775	8160
BT - 50 EXTENDED	7000	7200	7500	7800	12400

## DRILL CHUCK ARBOUR

SIZE	PRICE	SIZE	PRICE
BT-40 JT-1, 2S, 6	2250	BT-50 JT-6	4675

## SPARES

SIZE	PRICE	SIZE	PRICE
NUT ER-11 <i>M/Hex Type</i>	550	SPANNER ER-16 <i>M Type</i>	475
NUT ER-16 <i>M/Hex Type</i>	475	SPANNER ER-20 <i>M Type</i>	575
NUT ER-20 <i>M/Hex Type</i>	575	SPANNER ER-25 <i>M Type</i>	695
NUT ER-25 <i>M/Round Type</i>	600	SPANNER ER-25/32 <i>Multi Hook</i>	595
NUT ER-32/40 <i>Round Type</i>	650	SPANNER ER-40 <i>Multi Hook</i>	650
SPANNER ER-11 <i>M Type</i>	475	C HOOK SPANNER ER-25,32,40	425

## SK TAPER TOOL HOLDERS (DIN 69871)

### COLLET CHUCK FOR ER COLLET (DIN 6499)

SIZE (Price Without Spanner)	PRICE	SIZE (Price Without Spanner)	PRICE
SK-40 ER - 16 x 70 ( <i>Hex Type</i> )	2450	SK-40 ER - 25 x 160	3800
SK-40 ER - 16 x 100 ( <i>Hex Type</i> )	2800	SK-40 ER - 32 x 70	2450
SK-40 ER - 16 x 150 ( <i>Hex Type</i> )	3500	SK-40 ER - 32 x 120	3300
SK-40 ER - 20 x 70 ( <i>Hex Type</i> )	2450	SK-40 ER - 32 x 160	3800
SK-40 ER - 20 x 120 ( <i>Hex Type</i> )	2800	SK-40 ER - 40 x 80	2450
SK-40 ER - 20 x 160 ( <i>Hex Type</i> )	3500	SK-40 ER - 40 x 120	3300
SK-40 ER - 25 x 70	2450	SK-40 ER - 40 x 160	3800
SK-40 ER - 25 x 120	2800		

Also available in SK-40 Taper : Side Lock Holder, Stub Milling Arbour, Milling Reduction Socket. Prices against request.

## KEYLESS DRILL CHUCK

SIZE	PRICE
0-6.5 mm with MT-2 JT-1 Arbour & Spanner	5250
0.5-8 mm with MT-2 JT-2 Arbour & Spanner	5500
1-13 mm with MT-2 JT-6 Arbour & Spanner	6350
3-16 mm with MT-3 JT-3 Arbour & Spanner	8500
5-20 mm with MT-3 JT-3 Arbour & Spanner	12000
Integral Shank BT-30 / ISO-30 1-13 mm with Spanner	8500
Integral Shank BT-40 / ISO-40 / SK-40 1-13 mm with Spanner	8500
Integral Shank BT-50 / ISO-50 1-13 mm with Spanner	10250
Spare Spanner	350

- Wipe the tapers of arbour and chuck with kerosene before use.
- Do not clamp chuck in vise or lathe chuck.
- No replacement on keyless chuck.





MILLING ACCESSORIES



## COLLET ADAPTOR FOR 'E' TYPE COLLET (SCH. / TAIL)

SIZE (PRICE WITHOUT SPANNER)			PRICE
ISO-30	E-32	M-12	3075
ISO-30	E-40	M-12	2350
ISO-40	E-32	M-16	3650
ISO-40	E-40	M-16	2100
ISO-40	E-45	M-16	3500
ISO-50	E-40	M-24	4800
ISO-50	E-45	M-24	6200
R8	E-32	M-12X1.5	3150
R8	E-40	M-12X1.5	2650
MT-2	E-40	M-10 (Draw bolt Type)	2450
MT-3	E-40	M-12 (Draw bolt Type)	2450
MT-4	E-40	M-16 (Draw bolt Type)	2600
MT-5	E-40	M-20 (Draw bolt Type)	3800
MT-5	E-45	M-20 (Draw bolt Type)	5300
MT-3	E-40	(Tang type without Cottar Slot)	2850
MT-4	E-40	(Tang type without Cottar Slot)	2950
MT-5	E-40	(Tang type with Cottar Slot)	4850
MT-5	E-45	(Tang type with Cottar Slot)	6200
MT-6	E-40	M-24 (Draw bolt Type)	9750
MT-6	E-45	M-24 (Draw bolt Type)	9750
MT-6	E-40	(Tang type with Cottar Slot)	9875
MT-6	E-45	(Tang type with Cottar Slot)	10000
Spare Spanner		(C Hook Type)	425
Spare Nut		(E Type)	525

Cotter Slot specifications only as Per IS : 6682-1972 Other designs of Cotter Slots shall not be made.

## MILLING REDUCTION SOCKET

SHANK			PRICE
ISO-30	MT-1	TYPE - A	2150
ISO-30	MT-2	TYPE - A	2150
ISO-30	MT-3	TYPE - A	2200
ISO-40	MT-1	TYPE - A	2300
ISO-40	MT-2	TYPE - A	2300
ISO-40	MT-3	TYPE - A	2500
ISO-40	MT-4	TYPE - A	2800
ISO-50	MT-1	TYPE - A	4900
ISO-50	MT-2	TYPE - A	4900
ISO-50	MT-3	TYPE - A	4900
ISO-50	MT-4	TYPE - A	5000
ISO-50	MT-5	TYPE - A	5500
R8	MT-1	M12x1.5 or 7/16" UNF	1100
R8	MT-2	M12x1.5 or 7/16" UNF	1200
R8	MT-3	M12x1.5 or 7/16" UNF	1250
ISO 50 - ISO 40			6000



## SIDE LOCK HOLDERS

SIZE		PRICE
R8	16, 20, 25 mm	2350
ISO - 30	16, 20 mm	2175
ISO - 40	16, 20, 25, 32 mm	2945
ISO - 50	16, 20, 25, 32 mm	4345
ISO - 50	40 mm	7975

## COLLETS

TYPE	BORE SIZE / RANGE			PRICE
E-32 Schaublin	5 - 20 mm	(1 mm Step)		630
E-40 Schaublin	3 - 25 mm	(1 mm Step)	1/4" - 1" (1/16" Step)	425
E-40 Tail	3 - 25 mm	(1 mm Step)	1/4" - 1" (1/16" Step)	450
E-45 Schaublin	6 - 32 mm	(1 mm Step)		700
R8	3 - 25 mm	(1 mm Step)	1/4" - 1" (1/16" Step)	600

## STUB MILLING ARBOUR

SHANK	SIZE	PRICE
ISO-30	16, 22, 27 mm	2175
ISO-40	16, 22, 27, 32, 40 mm	2300
ISO-40	1"	3450
ISO-50	16, 22, 27, 32, 40 mm	4565
MT - 3 (Drawbolt Type)	16, 22, 27 mm	2250
MT - 4 (Drawbolt Type)	16, 22, 27, 32, 40 mm	3185
MT - 5 (Drawbolt Type)	16, 22, 27, 32, 40 mm	3850
MT - 5 (Tang type with cotter slot)	16, 22, 27, 32, 40 mm	4565
R8	16, 22, 27, 32, 40 mm	2665

## STUB MILLING ARBOUR : FLANGE TYPE

SIZE		PRICE
ISO - 40	40 mm	6500
ISO - 50	40 mm	8500
ISO - 40	60 mm	9500
ISO - 50	60 mm	11000

## DRILL CHUCK ARBOUR

SIZE		PRICE
ISO-30	JT-1, 2S, 6, 3	2120
ISO-40	JT-6	2120
ISO-40	JT-1, 2S, 3	3300
R8	JT-1, 2S, 6	1750



SLH : ISO



SLH : R8



SMA : ISO



SMA : MT



SMA : R8



DCA : ISO

### DRILL CHUCK ARBOUR - MORSE TAPER

SIZE		PRICE
MT-1	JT-1 (1/4"), JT-2 (3/8"), JT-6 (1/2")	165
MT-2	JT-1 (1/4"), JT-2 (3/8"), JT-6 (1/2")	165
MT-2	JT-3 (3/4")	275
MT-3	JT-6 (1/2"), JT-2 (3/8"), JT-3 (3/4")	195
MT-3	JT-5 (1")	600
MT-4	JT-6 (1/2"), JT-3 (3/4"), JT-5 (1")	575
MT-5	JT-6 (1/2"), JT-3 (3/4"), JT-5 (1")	1100

### DRILL SLEEVE

M.T. No.	PRICE	M.T. No.	PRICE	M.T. No.	PRICE
0 - 1	575	1 - 3	380	3 - 6	3800
1 - 2	295	1 - 4	575	3 - 5	975
2 - 3	315	1 - 5	1150	2 - 6	4300
3 - 4	440	6 - 7	11825	2 - 5	1000
4 - 5	950	5 - 7	11800	2 - 4	575
5 - 6	3150	4 - 6	3560	1 - 6	4300

### QUICK CHANGE CHUCKS

SIZE	PRICE
M.T. No. 2	2100
M.T. No. 3	2450
M.T. No. 4	3900
M.T. No. 5	5775

### QUICK CHANGE CHUCKS COLLET

SIZE					PRICE
CO - 21	CO - 22	-	-	-	715
CO - 31	CO - 32	CO - 33	-	-	770
CO - 41	CO - 42	CO - 43	CO - 44	-	1050
CO - 51	CO - 52	CO - 53	CO - 54	CO - 55	2200

### FLOATING REAMER HOLDER

SIZE					PRICE
FR - 21	FR - 22	-	-	-	990
FR - 31	FR - 32	FR - 33	-	-	1150
FR - 41	FR - 42	FR - 43	FR - 44	-	1500



DCA : R8





# WHY

*Run Around in Circles When You Can Get  
All Your Engineering Requirements Under One Roof?*

## SMITH ENGINEERING COMPANY SMITH INTERNATIONAL

[www.smithtools.co.in](http://www.smithtools.co.in)

**The One Stop For All Your Engineering Requirements  
At Competitive Price, Backed By Efficient Services**

**Authorised Stockist For**



**Regd. Office : (MUMBAI)**

11, Narayan Dhuru Cross  
Lane, Daga Chambers  
Mumbai - 400 003

(022 ) 2342 9794,  
2345 0444

[smith@smithtools.in](mailto:smith@smithtools.in)

**Branch Office : (PUNE)**

PAP-J/137, Smith House,  
Near Quality Circle,  
Telco Road, Bhosari,  
Pune - 411 026

+91 9096410235  
+91 9096410236

[smith@smithtools.net](mailto:smith@smithtools.net)

**Regd. Office : (AHMD)**

C-48, Aust Vinayak  
Complex, Opp,  
Dariyapur Gate,  
Bardolpura  
Ahmedabad - 380 004

(079) 22111003/04/05/06

[smith@smithtools.org](mailto:smith@smithtools.org)

**Branch Office : (CHAKAN)**

Shop No.13, Navratna  
Complex, Pune- Nashik  
Highway, Nanekarwadi,  
Tal. Khed Dist,  
Pune - 410 501.

+91 9096410235  
+91 9096410236

[smith@smithtools.net](mailto:smith@smithtools.net)